

**RECEIVED
CENTRAL FAX CENTER****FEB 21 2005****DIMOCK STRATTON LLP***Barristers and Solicitors • Patent and Trade-Mark Agents***FAX**

DATE: February 21, 2005

TO: NAME & FIRM	PHONE #	FAX #
Examiner Christopher Upton United States Patent and Trademark Office GROUP ART UNIT: 1724	1-571-272-1169	1-703-872-9306

FROM: **Mark B. Eisen**

OUR FILE: 1569-7/MBE

TOTAL PAGES SENT (including this page): 16

Confirmation of facsimile to follow: ☐ Yes ☒ No, unless requestedIf you do not receive all the pages of this facsimile clearly,
please call Liz Forster at (416) 971-7202.**NOTES:****Re: U.S. Patent Application No. 10/621,508***Documents Enclosed: Response to Office Action mailed
October 20, 2004 (signature page in duplicate); Claim Fee
Calculation Sheet (in duplicate); Petition for one month
extension of time (in duplicate).*This fax may contain information which is confidential and privileged. If you are not
the intended recipient of this fax, you are not permitted to make use of this fax.

If you have received this in error, please notify the sender.

20 Queen Street West, Suite 3202, Box 102, Toronto, Ontario Canada M5H 3R3

Tel: (416) 971-7202 Fax (416) 971-6638

E-mail: firm@dimock.com • www.dimock.com

RECEIVED
CENTRAL FAX CENTER

FEB 21 2005

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this document and the documents indicated as enclosed herewith are being sent by facsimile transmission to the United States Patent and Trademark Office on the date set forth below.

Date: February 21, 2005
Mark B. Eisen
Registration No. 33,088**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Application No.: 10/621,508

Filing Date: July 18, 2003

Applicant: Paul H. Patrick et al.

Title: Porous Dike Intake Structure for
Fish Diversion

Examiner: Christopher Upton

Attorney's Ref.: 1569-7/MBE

AMENDMENT

In response to the Official Action

Dated: October 20, 2004

SENT BY COURIER

Commissioner for Patents
U.S. Patent and Trademark Office
220 20th Street South
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202
U.S.A.

Dear Sir:

Please amend this application as follows: